

L Number	Hits	Search Text	DB	Time stamp
1	9188	((358/1.1, 358/1.11-1.15).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:52
2	0	((358/1.1, 358/1.11-1.15).ccls.) and (direct\$5 rout\$5 select\$5 choos\$5) with (substitu\$5 availabl\$5) same (busy\$5 unavailabl\$5 error\$5) same (correct\$5 with print\$5 near2 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:53
3	0	((358/1.1, 358/1.11-1.15).ccls.) and (direct\$5 rout\$5 select\$5 choos\$5) with (substitu\$5 availabl\$5) same (busy\$5 unavailabl\$5 error\$5) same (correct\$5 with print\$5 near2 data\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:53
-	130	(print\$5 adj2 (attribut\$5 setting\$5)) same (spool\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 18:53
-	64	((print\$5 adj2 (attribut\$5 setting\$5)) same (spool\$5)) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 10:37
-	18	(print\$5 adj2 (designat\$5 path\$5)) same (spool\$5) same (busy free availabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 10:41
-	12	((print\$5 adj2 (designat\$5 path\$5)) same (spool\$5) same (busy free availabl\$5)) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:31
-	29	(print\$5 adj2 (setting\$5 attribu\$5)) same (designat\$5 path\$5) same (spool\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 10:54
-	10	((print\$5 adj2 (setting\$5 attribu\$5)) same (designat\$5 path\$5) same (spool\$5)) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:03
-	11	(print\$5 adj1 job\$5) same (attribu\$5 setting\$5) same (path\$5 designation\$5) same spool\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:14
-	32	(print\$5) same (attribu\$5 setting\$5) same (path\$5 designation\$5) same spool\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:14
-	13	((print\$5) same (attribu\$5 setting\$5) same (path\$5 designation\$5) same spool\$5) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:52
-	65	spool\$5 same busy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:43
-	14	spool\$5 same busy same availa\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:05

-	130	(print\$5 adj2 job\$5) same spool\$5 same (busy availabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:19
-	66	((print\$5 adj2 job\$5) same spool\$5 same (busy availabl\$5)) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:36
-	130	print\$5 adj2 job\$5 same spool\$5 same (busy availabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:57
-	33	(print\$5 adj2 job\$5 same spool\$5 same (busy availabl\$5)) and (print\$5 adj2 (attribut\$5 setting\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:43
-	17	((print\$5 adj2 job\$5 same spool\$5 same (busy availabl\$5)) and (print\$5 adj2 (attribut\$5 setting\$5))) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:43
-	6	print\$5 adj2 job\$5 same spool\$5 same (busy availabl\$5) same path\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:34
-	292	(print\$5 adj2 job\$5) same (destinat\$5 designat\$5 rout\$5 path\$5) same (free busy availabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:39
-	35	((print\$5 adj2 job\$5) same (destinat\$5 designat\$5 rout\$5 path\$5) same (free busy availabl\$5)) same spool\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:39
-	17	((print\$5 adj2 job\$5) same (destinat\$5 designat\$5 rout\$5 path\$5) same (free busy availabl\$5)) same spool\$5) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:45
-	381	print\$5 with spool\$5 same availab\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:46
-	11	print\$5 with spool\$5 same availab\$ same busy\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:50
-	344	(print\$5 near3 (request\$5 desginat\$5)) with (spool\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:55
-	25	(print\$5 near3 (request\$5 desginat\$5)) with (spool\$5) same (busy availabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:55
-	13	((print\$5 near3 (request\$5 desginat\$5)) with (spool\$5) same (busy availabl\$5) ) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 18:54

-	53	print\$5 same bar adj2 code\$5 same (activeX JAVA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:14
-	18	(print\$5 same bar adj2 code\$5 same (activeX JAVA)) and @ad<19990501	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:29
-	2	(bar adj1 cod\$5) with securit\$5 adj2 data same (embedd\$5 encryp\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:35
-	11	(bar adj1 cod\$5) same securit\$5 adj2 data same (embedd\$5 encryp\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:35
-	1	(print\$5 adj2 job\$5) same PDF\$5 same IPDS\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:18
-	1	PDF\$5 same convert\$5 same postscript\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:31
-	64	(print\$5 same spool\$5 same (free busy availabl\$5)) and (((358/1.1, 358/1.15).ccls.) and @ad<20000417)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:36
-	6602	(358/1.1, 358/1.15).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 18:53
-	234	(print\$5 adj2 (designat\$5 path\$5)) same (spool\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 18:54
-	53	((358/1.1, 358/1.15).ccls.) and ((print\$5 adj2 (designat\$5 path\$5)) same (spool\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 18:54
-	22	((358/1.1, 358/1.15).ccls.) and ((print\$5 adj2 (designat\$5 path\$5)) same (spool\$5)) and @ad<20000417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:49